				453				s	HEET_1 OF 6
INE		INCITA	MAY	1 8 2001	ATTY. DOCKET N A-67209-4/RMS/DO		SERIAL NO. 09/816,651		
INFORMATION DISCLOSURE CITATION CITATION CITATION CONTROLLERS					APPLICANT WALT et al.				
PTO-1449					FILING DATE March 23, 2001	·	GROUP Not Yet Assigned		
				U.S. PAT	ENT DOCUMENTS				
EXAMINER'S		DA TIMPA DINI A LOS	D 4 (7)						FILING DATE
INITIALS	1	4,200,110	4/1980	Peterson et al.	NAME	CLASS	SUBCLASS	}	
	2	4,682,895	7/1987	Costello					
	3	4,785,814	11/1988	Kane		 		} -	
	4	5,518,883	5/1996	Soini		-		 	
	5	4,999,306	3/1991	Yafuso et al.					
	1		<u> </u>			-			
	6	5,302,509	4/1994	Cheeseman	· · · · · · · · · · · · · · · · · · ·		"		
	7	5,357,590	10/1994	Auracher					
	8	5,435,724	7/1995	Goodman et al	•				
	9	5,481,629	1/1996	Tabuchi					
	10	5,575,849	11/1996	Honda et al.					
	11	5,639,603	6/1997	Dower et al.					
	12	4,824,789	4/1989	Yafuso et al.					
W									
				EOREIGN PA	AMBURIO CIUMIU	NT'S	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
EXAMINER'S INITIALS		PATENT NO.	D A TYP	***************************************					Translation
1/1/	13	97/14928	DATE 4/1997	PCT	UNTRY	CLASS	SUBCLASS	Yes	No
W/	14	00/04372	1/2000	PCT		-			
M	15	99/67414	12/1999	PCT		-			
		Onther	DOCUMEN	TS (Including)	Amhor Title Det	e Pertine	nt Pages Et	. 1	
W	16	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Healey et al., "Improved Fiber-Optic Chemical Sensor for Penicillin," Anal. Chem. 67(24):4471-4476 (1995).							
	17	Healey et al., "Development of a Penicillin Biosensor Using a Single Optical Imaging Fiber," SPIE Proc. 2388:568-573 (1995).							
	18	Michael et al., "Randomly Ordered Addressable High-Density Optical Sensor Arrays," Anal. Chem. 70(7): 1242-1248 (April 1998).							
M	19	Michael et al., "Making Sensors out of Disarray: Optical Sensor Microarrays," Proc. SPIE, 3270: 34-41 (1998).							

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

DATE CONSIDERED

EXAMINER

INFORMATION DESCL CITATION

ATTY. DOCKET NO. A-67209-4/RMS/DCF

SERIAL NO. 09/816,651

APPLICANT WALT et al.

FILING DATE

GROUP

		<u>PTO-1449</u>	505019301-1905696197750	FILING DATE March 23, 2001		ROUP of Yet Assigned		
VII. A 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		U.S.	PATENT DOCUMENTS				
EXAMINER'S INITIALS		PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING	DATE
W	20	5,863,708	1/1999	Zanzucchi et al.				
	21	5,656,241	8/1997	Seifert et al.				· · · · · · · · · · · · · · · · · · ·
	22	4,499,052	2/1985	Fulwyler				
	23	5,244,813	9/1993	Walt et al.				
	24	5,250,264	10/1993	Walt et al.				
	25	5,252,494	10/1993	Walt				<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>
	26	5,254,477	10/1993	Walt				
·	27	5,298,741	3/1994	Walt et al.				
	28	5,633,972	5/1997	Walt et al.				
	29	5,320,814	6/1994	Walt et al.				
W	30	5,512,490	4/1996	Walt et al.				
			FOREIG	N PATENT DOCUMENTS				
EXAMINER'S INITIALS		PATENT NO.	DATE	COUNTRY	CLASS	\$UBCLASS	Transia	
M	31	0 478 319	4/1992	EP	T SERGE	JOUCEAGO	Yes	No.
	32	0 723 146	7/1996	EP			<u> </u>	
	33	0 269 764	6/1988	EP			· · · · · · · · · · · · · · · · · · ·	
	34	89/11101	11/1989	PCT			<u> </u>	
	35	93/02360	2/1993	PCT				
	36	97/14028	4/1997	PCT				
	37	97/40385	10/1997	PCT				
	38	98/40726	9/1998	PCT			<u> </u>	
	39	98/53093	11/1998	PCT				
M	40	98/53300	11/1998	PCT				
EXAMINER			n	DATE CONSIDERED		11/02	· · · · · · · · · · · · · · · · · · ·	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809; draw line through citation if not in conformance and not/considered. Include copy of this form with next communication to applicant.

MAY 1 8 2001

SHEET 3 OF 6

INFORMATION DISCESSERE

PTO-1449

ATTY. DOCKET NO. A-67209-4/RMS/DCF SERIAL NO. 09/816,651

APPLICANT WALT et al.

FILING DATE

GROUP

March 23, 2001

Not Yet Assigned

<i>935000000000000000000000000000000000000</i>		F1U-1443	\$56000075000007920000870000000000000000	Watch 23, 2001	(NO)	. ret Assign	S ♥ vp/keepse/Menopol/Newsonianianianianianianiani
			U.S.	PATENT DOCUMENTS			
EXAMINER'S INITIALS		PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
1/4	41	5,143,853	9/92	Walt			,
	42	5,244,636	9/93	Walt et al.			
	43	5,690,894	11/97	Pinkel et al.			
	44	5,516,635	5/96	Ekins et al.			
	45	5,002,867	3/1991	Macevicz			
	46	5,105,305	4/1992	Betzig et al.			
	47	5,028,545	7/1991	Soini			
	48	5,496,997	3/1996	Pope			
	49	5,573,909	11/1996	Singer et al.			
	50	5,194,300	3/1993	Cheung			
	51	5,132,242	7/1992	Cheung			
	52	5,494,798	2/1996	Gerdt et al.			
	53	5,565,324	10/1996	Still et al.			
	54	5,900,481	5/1999	Lough et al.			
	55	5,888,723	3/1999	Sutton et al.			
M	56	5,380,489	1/1995	Sutton et al.			
						 	
			FOREIGI	V PATENT DOCUMENTS			
EXAMINER'S INITIALS		PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	Translation
W	57	0 392 546	10/1990	EP	- VENDS	JUBULASS	Yes No
EXAMINER				DATE CONSIDERED 11/03			

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 608; draw line through citation if not in conformance and not considered. Include copy of this form with next

communication to applicant.

PTO-1449 **EXAMINER'S** INITIALS PATENT NO. 58 4,822,746 4/1989 59 5,114,864 5/1992 W 60 5,814,524 10/1998 Walt FOREIGN PATENT DOCUMENTS **EXAMINER'S** Translation INITIALS PATENT NO. DATE COUNTRY **CLASS** SUBCLASS Yes No 61 99/18434 4/1999 WO 62 00/39587 7/2000 WO 96/03212 63 02/1996 WO 98/13523 64 04/1998 WO 98/50782 65 11/1998 WO 66 99/60170 11/1999 WO 67 99/67641 12/1999 WO 00/13004 68 03/2000 WO 69 00/16101 03/2000 WO 70 00/47996 08/2000 WO 71 00/48000 09/2000 WO 72 00/63437 10/2000 WO 73 00/71243 11/2000 WO 74 00/71995 11/2000 WO 75 00/75373 12/2000 WO

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

DATE CONSIDERED

EXAMINER

INFORMATION DESCI

CITATION

SHEET 5 OF 6 SERIAL NO. ATTY. DOCKET NO. INFORMATION DECLOSURE A-67209-4/RMS/DCF 09/816,651 APPLICANT CITATION WALT et al. FILING DATE **GROUP** PTO-1449 March 23, 2001 Not Yet Assigned U.S. PATENT DOCUMENTS **EXAMINER'S** FILING DATE INITIALS PATENT NO. DATE NAME **CLASS SUBCLASS** 76 5,474,895 Ishii et al. W 12/1995 77 5,679,524 10/1997 Nikiforov et al. 78 5,840,256 11/1998 Demers et al. **79** 5,854,684 12/1998 Stabile et al. 80 5,858,732 01/1999 Solomon et al. 81 6,023,540 02/2000 Walt et al. 6,051,380 82 04/2000 Sosnowski et al. 6,172,218 83 01/2001 Brenner 6,083,763 07/2000 84 Balch 5,660,988 85 08/1997 Duck et al. 6,030,581 86 02/2000 Virtanen 6,074,754 87 06/2000 Jacobson et al. 87a 5,856,083 01/1999 Chelsky et al. FOREIGN PATENT DOCUMENTS **EXAMINER'S** Translation **INITIALS** PATENT NO. DATE COUNTRY **CLASS** SUBCLASS Yes No OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Abel et al., "Fiber-Optic Evanescent Wave Biosensor for the Detection of Oligonucleotides," Anal. Chem. 68:2905-M 2912 (1996). **89** Anonymous, "Microsphere Selection Guide," Bandg Laboratories, (Fisher, In) September 1998. Anonymous, "Fluorescent Microspheres," Tech. Note 19, Bang Laboratories, (Fishers, In) February 1997. 90 Bangs, L.B., "Immunological Applications of Microspheres," The Latex Course, Bangs Laboratories (Carmel, IN) 91 April 1996. Barnard et al., "A Fibre-Optic Chemical Sensor with Discrete Sensing Sites," Nature, 353:338-340 (September 1991).

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

DATE CONSIDERED

Journal of Lightwave Technology, LT-5(7):1027-1033 (1987).

Hirschfeld et al., "Laser-Fiber-Optic "Optrode" for Real Time In Vivo Blood Carbon Dioxide Level Monitoring,"

EXAMINER

93

INFORMATION DESCLOSUSE CITATION

ATTY. DOCKET NO. A-67209-4/RMS/DCF

SERIAL NO. 09/816,651

APPLICANT WALT et al.

FILING DATE

GROUP

PTO-1449			March 23, 2001	Not Yet Assigned				
		Onlier Documents (including	Author, Title, Date, Pertine	ent Pages, Etc.)				
M	94	Michael et al., "Fabrication of Micro- and Nanostructures Using Optical Imaging Fibers and there Use as Chemical Sensors," Proc. 3rd Intl. Symp., Microstructures and Microfabricated Systems, ed. P.J. Hesketh, et al., v. 97-5, Electrochem. Soc., 152-157 (Aug. 1997).						
	95	Mignani, et al., "In-Vivo Biomedical Monitoring by Fiber-Optic Systems," Journal of Lightwave Technology, 13(7): 1396-1406 (1995).						
	96	Pantano et al., "Ordered Nanowell Arrays	," Chem. Mater., 8(12): 2832-2	2835 (1996).				
	97	Peterson et al., "Fiber-Optic Sensors for B	iomedical Applications," Scien	nce, 13:123-127 (1984).				
 	98	Peterson, J. et al., "Fiber Optic pH Probe f	or Physiological Use," Anal. C	hem., 52:864-869 (1980).				
	99	Piunno et al., "Fiber-Optic DNA Sensor for Fluorometric Nucleic Acid Determination," Anal. Chem., 67:2635-2643 (1995).						
	100	Pope, E. "Fiber Optic Chemical Microsensors Employing Optically Active Silica Microspehres," SPIE, 2388:245-256 (1995).						
	101	Strachan et al., "A Rapid General Method for the Identification of PCR Products Using a Fibre-Optic Biosensor and its Application to the Detection of Listeria," Letters in Applied Microbiology, 21:5-9 (1995).						
	102	Walt, "Fiber-Optic Sensors for Continuous						
	103	Drmanac, R. et al., "Prospects for a Miniaturized, Simplified and Frugal Human Genome Project," Scientia Yugoslavica, 16(1-2):97-107 (1990).						
	104	Drmanac, R. et al., "Sequencing by Hybridization (SBH) with Oligonucleotide Probes as an Integral Approach for the Analysis of Complex Genomes," International Journal of Genome Research, 1(1):59-79 (1992).						
	105	Drmanac, R. et al., "Sequencing by Hybridization," Automated DNA Sequencing and Analysis, ed. M. Adams, C. Fields and J. Venter. (1994).						
	106	Walt, D. "Fiber Optic Imaging Sensors," Accounts of Chemical Research, 31(5): 267-278 (1998).						
	107	Czarnik, "Illuminating the SNP Genomic						
	108	Healey et al., "Fiberoptic DNA Sensor Array Capable of Detecting Point Mutations," Analytical Biochemistry, 251:270-279 (1997).						
	109	Fuh et al., "Single Fibre Optic Fluorescence pH Probe," Analyst, 112:1159-1163 (1987).						
	110	Ferguson et al., "A Fiber-Optic DNA Biosensor Microarray for the Analysis of Gene Expression," Nature Biotechnology, 14:1681-1684 (1996).						
	111	Drmanac, R. et al., "Sequencing by Oligonucleotide Hybridization: A Promising Framework in Decoding of the Genome Program," The First International Conference on Electrophoresis, Supercomputing and the Human Genome, Proceeding os th April 10-13, 1990 Conference at Florida State University. Ed. C. Cantor and H. Lim.						
	112	Iannone et al., "Multiplexed Single Nucleotide Polymorphism Genotyping by Oligonucleotide Ligation and Flow Cytometry," Cytometry, 39:131-140 (2000).						
	113	Lyamichev et al., "Polymorphism identification and quantitative detection of genomic DNA by invasive cleavage of oligonucleotide probes," Nature Biotechnolgoy, 17:292-296 (1999). (added 4/3/01 892 68087-2)						
1	114	Chen et al., "A Microsphere-Based Assay for Multiplexed Single Nucleotide Polymorphism Analysis Using Single Base Chain Extension," Genome Research, 10(4):549-557 (2000).						
EXAMINER		DA	TE CONSIDERED i/	53				

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next

communication to applicant.